

**RECEIVED
CENTRAL FAX CENTER****DEC 01 2005****Schlumberger**

Schlumberger Oilfield Services

Sugar Land Product Center
200 Gillingham Lane
Mail Drop 200-9
Sugar Land, Texas 77478
Tel: (281) 285-8809
Fax: (281) 285-8821
e-mail: jsalazar9@slb.com

Fax message

To	USPTO - Examiner Smith	Location	
cc		Fax	571-273-8300
From	J.L. Jennie Salazar Schlumberger	Date	12/1/2005
Subject	24.0935	Pages (inc)	23

Please see attached.

Regards,
Jennie Salazar


NOTICE OF CONFIDENTIALITY

This information contained in and transmitted with this facsimile is:

1. SUBJECT TO THE ATTORNEY-CLIENT PRIVILEGE;
2. ATTORNEY WORK PRODUCT; OR
3. CONFIDENTIAL

It is intended only for use of the individual or entity named above. If the reader of this message is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please immediately notify us by telephone, and return the original message to us at the above address via the U.S. Postal Service. Thank you.

If you do not receive all pages, please call: (281) 285-8377.

CERTIFICATE OF MAILING 37 C.F.R. 1.8	
I hereby certify that this correspondence is being transmitted by first class to the Patent and Trademark Office in accordance with § 1.6(d) to: 571-273-8300, on the date below:	
12/1/05 Date	 Signature

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.:	10/707,246	Confirmation No.: 9503
Applicant:	Reinhart Ciglenec, et al.	
Filed:	December 1, 2003	
TC/A.U.	3672	
Examiner:	Smith, Matthew J.	

**RECEIVED
CENTRAL FAX CENTER
DEC 01 2005**

Docket No.: 24.0935
Customer No.: 23718
Title: DOWNHOLE FLUID PUMPING APPARATUS AND METHOD
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

RESPONSE TO OFFICE ACTION

Sir:

In response to the Office Action dated September 2, 2005, please amend the application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begin on page 6 of this paper.

Amendments to the Drawings begin on page 13 of this paper and include two replacement sheets and two annotated sheets showing changes made to the drawings.

Remarks/Arguments begin on page 14 of this paper.

An **Appendix** including amended drawing figures is attached following page 15 of this paper.